

## Audit of Diabetes Knowledge (ADKnowl)

Below are some statements about diabetes.

- For each statement, please put an 'X' in one of the boxes to indicate whether you believe it to be **True** or **False**.
- If you don't know the answer, please use the **Don't know** option rather than making a guess.

Please complete the questionnaire without looking for answers from other people or written/electronic sources of information.

Do feel free to check your answers (e.g. with a diabetes book) after you have completed the questionnaire, but please do not correct any of your answers. We would like to know where more information is needed.

*Continued on the next page...*

**This copy is for information only - for use, please contact Professor Bradley**

1. Please respond to each of the following statements about diabetes:	True	False	Don't know
1.1 Diabetes can be controlled with treatment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.2 Stressful experiences can affect blood glucose levels	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.3 Blood glucose levels do not affect your chances of developing complications	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(This section only for people who use **urine glucose monitoring**)

2. Please respond to each of the following statements about diabetes:	True	False	Don't know
2.1 A little glucose in the urine is a good thing	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2.2 Treatment of diabetes may be stopped if urine tests show no glucose	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.3 Physical exercise usually increases urine glucose levels	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(This section only for people who take **tablets** to treat their diabetes, **with or without insulin**)

3. Tablets for the treatment of diabetes ...	True	False	Don't know
3.1 help lower the amount of glucose in the blood	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.2 only need to be taken if glucose levels are too high	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.3 are usually taken even if glucose levels are normal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.4 can sometimes cause blood glucose levels to be too low	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

For information only